

Pre-Assembly Insertion Nuts for Aluminum Extrusions with Temporary Holding Function For 8-45 Series (Slot Width 10mm)





ckage Price Price per Pkg.



PACK-HNTU8 (S10C Equivalent)
PACK-SHNTU8 (SUS304 Equivalent)


Does not fall even if the


Nuts with thread locker applied on the inside of tap. Reduce loosening caused by vibration during transportation and operation of equipment. Thread Locking Adhesive: A microencapsulated anaerobic adhesive prevents thread loosening. Note that it requires a hardening time (72 hours at room temperature 25°C). The adhesive property is lost once loosened. : Resin is coated along the threads. Although the thread locking effect may be less than adhesive type, it can be used repeatedly without hardening time required. Resin Coating

Thread locking compound applied inside of the tap. extrusion is placed vertically. Built-in spring prevents slips. Moves easily in the slot when pressed slightly by hand.

	Characteristics	Loosening Torque after Tightening (1st time)	Remarks
Without Thread Locker	-	17.9N∙m	-
Thread Locking Adhesive Type	Prevents loosening effectively. Thread locking properties are lost once loosened. Requires a hardening time for adhesives (7/2 hours at room temperature 25°C) after tightening.	25.6N·m	Test Conditions: Value (HNTTV8-8) measured when a screw is loosened after being tightened at 23.5Nm and being dried for 72 hours at room temperature (25°C).
Thread Locking Resin Coating Type	Can be used repeatedly. (Thread locking effect decreases after repeated use.) Thread locking effect is immediately seen right after tightening.	21.8N•m	Thread locking effect decreases after repeated us Loosening Torque at 5 Repeats: 20.3N · m Measurement with HNTTZ8-8








Part Number		М			Unit Price	Volume Discount Rate		
					1 ~ 499 pc(s).	500~749	750~999	1000~1500
HNTE8-45	4	5	6	8				
SHNTE8-45	4	5	6	8				







Integrated Pre-Assembly Insertion Nuts and Stoppers.

The nuts do not slip off even if inserted into the vertically-placed extrusions.

2 -741 **2** -742