

# Certificate of Compliance

**Certificate Number:**

E552483

**Report Reference:**

E552483-20260205

**Issue Date:**

2026-FEB-05

Issued to:

**MISUMI (China) Precision Machinery Trading Co Ltd**

No.1058 Diling Road, Fengxian District Shanghai 201415 CN

This certificate confirms that representative samples of:  
**ACTIVE OPTO-ELECTRONIC PROTECTIVE DEVICES**  
**See addendum page for models**

Has been evaluated by UL LLC in accordance with Standard(s) for Safety:

**[See addendum page for standards**

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E552483  
**Report Reference:** E552483-20260205  
**Issue Date:** 2026-FEB-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Standards for safety

UL 61496-1 - Electro-Sensitive Protective Equipment, Part 1: General Requirements and Tests  
UL 61496-2 - Safety of Machinery - Electro-Sensitive Protective Equipment - Part 2: Particular Requirements for Equipment Using Active Opto-Electronic Protective Devices (AOPDs)  
UL 508 - Industrial Control Equipment  
IEC 61496-1 - Safety of Machinery - Electro-Sensitive Protective Equipment - Part 1: General Requirements and Tests  
IEC 61496-2 - Safety of Machinery - Electro-Sensitive Protective Equipment - Part 2: Particular Requirements for Equipment Using Active Opto-Electronic Protective Devices (AOPDs)  
CSA C22.2 No. 14 - Industrial Control Equipment

## Models:

Type 4 Light Curtain  
E-LV4SLC10-16-N  
E-LV4SLC10-20-N  
E-LV4SLC10-24-N  
E-LV4SLC10-28-N  
E-LV4SLC10-32-N  
E-LV4SLC10-36-N  
E-LV4SLC10-40-N  
E-LV4SLC10-44-N  
E-LV4SLC10-48-N  
E-LV4SLC10-52-N  
E-LV4SLC10-56-N  
E-LV4SLC10-60-N  
E-LV4SLC10-64-N  
E-LV4SLC10-68-N  
E-LV4SLC10-72-N  
E-LV4SLC10-76-N  
E-LV4SLC10-80-N  
E-LV4SLC10-84-N  
E-LV4SLC10-88-N  
E-LV4SLC10-92-N  
E-LV4SLC10-96-N  
E-LV4SLC10-100-N  
E-LV4SLC10-104-N  
E-LV4SLC10-108-N  
E-LV4SLC10-112-N  
E-LV4SLC10-116-N

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E552483  
**Report Reference:** E552483-20260205  
**Issue Date:** 2026-FEB-05

E-LV4SLC10-120-N  
E-LV4SLC10-124-N  
E-LV4SLC10-128-N  
E-LV4SLC10-132-N  
E-LV4SLC10-136-N  
E-LV4SLC10-140-N  
E-LV4SLC10-144-N  
E-LV4SLC10-148-N  
E-LV4SLC10-152-N  
E-LV4SLC10-156-N  
E-LV4SLC10-160-N  
E-LV4SLC10-164-N  
E-LV4SLC10-168-N  
E-LV4SLC10-172-N  
E-LV4SLC10-176-N  
E-LV4SLC10-180-N  
E-LV4SLC10-184-N  
E-LV4SLC10-188-N  
E-LV4SLC10-192-N  
E-LV4SLC10-196-N  
E-LV4SLC10-200-N  
E-LV4SLC10-204-N  
E-LV4SLC10-208-N  
E-LV4SLC10-212-N  
E-LV4SLC10-216-N  
E-LV4SLC10-220-N  
E-LV4SLC10-224-N  
E-LV4SLC10-228-N  
E-LV4SLC10-232-N  
E-LV4SLC10-236-N  
E-LV4SLC10-240-N  
E-LV4SLC10-244-N  
E-LV4SLC10-248-N  
E-LV4SLC10-252-N  
E-LV4SLC10-256-N  
E-LV4SLC10-16-P  
E-LV4SLC10-20-P  
E-LV4SLC10-24-P  
E-LV4SLC10-28-P  
E-LV4SLC10-32-P  
E-LV4SLC10-36-P  
E-LV4SLC10-40-P  
E-LV4SLC10-44-P  
E-LV4SLC10-48-P  
E-LV4SLC10-52-P  
E-LV4SLC10-56-P  
E-LV4SLC10-60-P

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E552483  
**Report Reference:** E552483-20260205  
**Issue Date:** 2026-FEB-05

E-LV4SLC10-64-P  
E-LV4SLC10-68-P  
E-LV4SLC10-72-P  
E-LV4SLC10-76-P  
E-LV4SLC10-80-P  
E-LV4SLC10-84-P  
E-LV4SLC10-88-P  
E-LV4SLC10-92-P  
E-LV4SLC10-96-P  
E-LV4SLC10-100-P  
E-LV4SLC10-212-N  
E-LV4SLC10-216-N  
E-LV4SLC10-220-N  
E-LV4SLC10-224-N  
E-LV4SLC10-228-N  
E-LV4SLC10-232-N  
E-LV4SLC10-236-N  
E-LV4SLC10-240-N  
E-LV4SLC10-244-N  
E-LV4SLC10-248-N  
E-LV4SLC10-252-N  
E-LV4SLC10-256-N  
E-LV4SLC10-16-P  
E-LV4SLC10-20-P  
E-LV4SLC10-24-P  
E-LV4SLC10-28-P  
E-LV4SLC10-32-P  
E-LV4SLC10-36-P  
E-LV4SLC10-40-P  
E-LV4SLC10-44-P  
E-LV4SLC10-48-P  
E-LV4SLC10-52-P  
E-LV4SLC10-56-P  
E-LV4SLC10-60-P  
E-LV4SLC10-64-P  
E-LV4SLC10-68-P  
E-LV4SLC10-72-P  
E-LV4SLC10-76-P  
E-LV4SLC10-80-P  
E-LV4SLC10-84-P  
E-LV4SLC10-88-P  
E-LV4SLC10-92-P  
E-LV4SLC10-96-P  
E-LV4SLC10-100-P  
E-LV4SLC10-248-P  
E-LV4SLC10-252-P  
E-LV4SLC10-256-P

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E552483  
**Report Reference:** E552483-20260205  
**Issue Date:** 2026-FEB-05

E-LV4SLC20-8-N  
E-LV4SLC20-10-N  
E-LV4SLC20-12-N  
E-LV4SLC20-14-N  
E-LV4SLC20-16-N  
E-LV4SLC20-18-N  
E-LV4SLC20-20-N  
E-LV4SLC20-22-N  
E-LV4SLC20-24-N  
E-LV4SLC20-26-N  
E-LV4SLC20-28-N  
E-LV4SLC20-30-N  
E-LV4SLC20-32-N  
E-LV4SLC20-34-N  
E-LV4SLC20-36-N  
E-LV4SLC20-38-N  
E-LV4SLC20-40-N  
E-LV4SLC20-42-N  
E-LV4SLC20-44-N  
E-LV4SLC20-46-N  
E-LV4SLC20-48-N  
E-LV4SLC20-50-N  
E-LV4SLC20-52-N  
E-LV4SLC20-54-N  
E-LV4SLC20-56-N  
E-LV4SLC20-58-N  
E-LV4SLC20-60-N  
E-LV4SLC20-62-N  
E-LV4SLC20-64-N  
E-LV4SLC20-66-N  
E-LV4SLC20-68-N  
E-LV4SLC20-70-N  
E-LV4SLC20-72-N  
E-LV4SLC20-74-N  
E-LV4SLC20-76-N  
E-LV4SLC20-78-N  
E-LV4SLC20-80-N  
E-LV4SLC20-82-N  
E-LV4SLC20-84-N  
E-LV4SLC20-86-N  
E-LV4SLC20-88-N  
E-LV4SLC20-90-N  
E-LV4SLC20-92-N  
E-LV4SLC20-94-N  
E-LV4SLC20-96-N  
E-LV4SLC20-98-N  
E-LV4SLC20-100-N

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E552483  
**Report Reference:** E552483-20260205  
**Issue Date:** 2026-FEB-05

E-LV4SLC20-102-N  
E-LV4SLC20-104-N  
E-LV4SLC20-106-N  
E-LV4SLC20-108-N  
E-LV4SLC20-110-N  
E-LV4SLC20-112-N  
E-LV4SLC20-114-N  
E-LV4SLC20-116-N  
E-LV4SLC20-118-N  
E-LV4SLC20-120-N  
E-LV4SLC20-122-N  
E-LV4SLC20-124-N  
E-LV4SLC20-126-N  
E-LV4SLC20-128-N  
E-LV4SLC20-8-P  
E-LV4SLC20-10-P  
E-LV4SLC20-12-P  
E-LV4SLC20-14-P  
E-LV4SLC20-16-P  
E-LV4SLC20-18-P  
E-LV4SLC20-20-P  
E-LV4SLC20-22-P  
E-LV4SLC20-24-P  
E-LV4SLC20-26-P  
E-LV4SLC20-28-P  
E-LV4SLC20-30-P  
E-LV4SLC20-32-P  
E-LV4SLC20-34-P  
E-LV4SLC20-36-P  
E-LV4SLC20-38-P  
E-LV4SLC20-40-P  
E-LV4SLC20-42-P  
E-LV4SLC20-44-P  
E-LV4SLC20-46-P  
E-LV4SLC20-48-P  
E-LV4SLC20-50-P  
E-LV4SLC20-52-P  
E-LV4SLC20-54-P  
E-LV4SLC20-56-P  
E-LV4SLC20-58-P  
E-LV4SLC20-60-P  
E-LV4SLC20-62-P  
E-LV4SLC20-64-P  
E-LV4SLC20-66-P  
E-LV4SLC20-68-P  
E-LV4SLC20-70-P  
E-LV4SLC20-72-P

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E552483  
**Report Reference:** E552483-20260205  
**Issue Date:** 2026-FEB-05

E-LV4SLC20-74-P  
E-LV4SLC20-76-P  
E-LV4SLC20-78-P  
E-LV4SLC20-80-P  
E-LV4SLC20-82-P  
E-LV4SLC20-84-P  
E-LV4SLC20-86-P  
E-LV4SLC20-88-P  
E-LV4SLC20-90-P  
E-LV4SLC20-92-P  
E-LV4SLC20-94-P  
E-LV4SLC20-96-P  
E-LV4SLC20-98-P  
E-LV4SLC20-100-P  
E-LV4SLC20-102-P  
E-LV4SLC20-104-P  
E-LV4SLC20-106-P  
E-LV4SLC20-108-P  
E-LV4SLC20-110-P  
E-LV4SLC20-112-P  
E-LV4SLC20-114-P  
E-LV4SLC20-116-P  
E-LV4SLC20-118-P  
E-LV4SLC20-120-P  
E-LV4SLC20-122-P  
E-LV4SLC20-124-P  
E-LV4SLC20-126-P  
E-LV4SLC20-128-P  
E-LV4SLC40-4-N  
E-LV4SLC40-5-N  
E-LV4SLC40-6-N  
E-LV4SLC40-7-N  
E-LV4SLC40-8-N  
E-LV4SLC40-9-N  
E-LV4SLC40-10-N  
E-LV4SLC40-11-N  
E-LV4SLC40-12-N  
E-LV4SLC40-13-N  
E-LV4SLC40-14-N  
E-LV4SLC40-15-N  
E-LV4SLC40-16-N  
E-LV4SLC40-17-N  
E-LV4SLC40-18-N  
E-LV4SLC40-19-N  
E-LV4SLC40-20-N  
E-LV4SLC40-21-N  
E-LV4SLC40-22-N

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E552483  
**Report Reference:** E552483-20260205  
**Issue Date:** 2026-FEB-05

E-LV4SLC40-23-N  
E-LV4SLC40-24-N  
E-LV4SLC40-25-N  
E-LV4SLC40-26-N  
E-LV4SLC40-27-N  
E-LV4SLC40-28-N  
E-LV4SLC40-29-N  
E-LV4SLC40-30-N  
E-LV4SLC40-31-N  
E-LV4SLC40-32-N  
E-LV4SLC40-33-N  
E-LV4SLC40-34-N  
E-LV4SLC40-35-N  
E-LV4SLC40-36-N  
E-LV4SLC40-37-N  
E-LV4SLC40-38-N  
E-LV4SLC40-39-N  
E-LV4SLC40-40-N  
E-LV4SLC40-41-N  
E-LV4SLC40-42-N  
E-LV4SLC40-43-N  
E-LV4SLC40-44-N  
E-LV4SLC40-45-N  
E-LV4SLC40-46-N  
E-LV4SLC40-47-N  
E-LV4SLC40-48-N  
E-LV4SLC40-49-N  
E-LV4SLC40-50-N  
E-LV4SLC40-51-N  
E-LV4SLC40-52-N  
E-LV4SLC40-53-N  
E-LV4SLC40-54-N  
E-LV4SLC40-55-N  
E-LV4SLC40-56-N  
E-LV4SLC40-57-N  
E-LV4SLC40-58-N  
E-LV4SLC40-59-N  
E-LV4SLC40-60-N  
E-LV4SLC40-61-N  
E-LV4SLC40-62-N  
E-LV4SLC40-63-N  
E-LV4SLC40-64-N  
E-LV4SLC40-4-P  
E-LV4SLC40-5-P  
E-LV4SLC40-6-P  
E-LV4SLC40-7-P  
E-LV4SLC40-8-P

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E552483  
**Report Reference:** E552483-20260205  
**Issue Date:** 2026-FEB-05

E-LV4SLC40-9-P  
E-LV4SLC40-10-P  
E-LV4SLC40-11-P  
E-LV4SLC40-12-P  
E-LV4SLC40-13-P  
E-LV4SLC40-14-P  
E-LV4SLC40-15-P  
E-LV4SLC40-16-P  
E-LV4SLC40-17-P  
E-LV4SLC40-18-P  
E-LV4SLC40-19-P  
E-LV4SLC40-20-P  
E-LV4SLC40-21-P  
E-LV4SLC40-22-P  
E-LV4SLC40-23-P  
E-LV4SLC40-24-P  
E-LV4SLC40-25-P  
E-LV4SLC40-26-P  
E-LV4SLC40-27-P  
E-LV4SLC40-28-P  
E-LV4SLC40-29-P  
E-LV4SLC40-30-P  
E-LV4SLC40-31-P  
E-LV4SLC40-32-P  
E-LV4SLC40-33-P  
E-LV4SLC40-34-P  
E-LV4SLC40-35-P  
E-LV4SLC40-36-P  
E-LV4SLC40-37-P  
E-LV4SLC40-38-P  
E-LV4SLC40-39-P  
E-LV4SLC40-40-P  
E-LV4SLC40-41-P  
E-LV4SLC40-42-P  
E-LV4SLC40-43-P  
E-LV4SLC40-44-P  
E-LV4SLC40-45-P  
E-LV4SLC40-46-P  
E-LV4SLC40-47-P  
E-LV4SLC40-48-P  
E-LV4SLC40-49-P  
E-LV4SLC40-50-P  
E-LV4SLC40-51-P  
E-LV4SLC40-52-P  
E-LV4SLC40-53-P  
E-LV4SLC40-54-P  
E-LV4SLC40-55-P

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E552483  
**Report Reference:** E552483-20260205  
**Issue Date:** 2026-FEB-05

E-LV4SLC40-56-P  
E-LV4SLC40-57-P  
E-LV4SLC40-58-P  
E-LV4SLC40-59-P  
E-LV4SLC40-60-P  
E-LV4SLC40-61-P  
E-LV4SLC40-62-P  
E-LV4SLC40-63-P  
E-LV4SLC40-64-P