



Section 1 Product Identification/Supplier

Product Name : OPP Packing Tape
 Manufacturer : Misumi (Thailand) Co.,LTD.
 Address : 300/24Moo.1 Eastern Seaboard Industrial Estate,
 Ta Sit,Pluak Daeng District, Rayong 21140
 Phone : 1382

Section 2 Hazards Identification

- Flammability	No, but possible to be burned in open fire.
- Ignition	No
-Explosion	No
-Responsiveness	No
-Stability	Stable

Section 3 Composition/Information on Ingredients

Chemical Name	%	CAS No. or Note
Acrylic Adhesive	44.4%	None
Biaxial Orientated Polypropylene Film	55.6%	(25085-53-4)

Section 4 First Aid Measures

- Eye Contact	Wash well in clean water. Get the treatment of the ophthalmologist when there are foreign articles, wound or pain.
- Skin Contact	Not danger but consults the physician if there is abnormality.
- When swallowed	Let vomit immediately and get treatment of the physician if there is abnormality.



Section 5 Fire Fighting Measures

Flash Point (Method Used) N/A(ASTM D-1920)

Flammable Limits: N/A LEL UEL

Extinguishing Media: Water, dry chemical foam, CO2

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing to prevent smoke contact with skin and eyes.

Unusual Fire and Explosion Hazards:

Any paper and adhesive can be forced to burn by continuous application of intense heat.

Section 6 Accidental Release Measures

Accidental Release Measures: Not applicable.

Section 7 Handling and Storage

7.1 Handling

Do not handle in flames nearby.

7.2 Storage

Do not store in flames nearby. Avoid storage in direct sunlight hot and humid places.

Section 8 Exposure Controls/Personal Protection

8.1 Engineering Controls

Not applicable.

8.2 Personal Protective Equipment (PPE)

8.2.1 Eye/Face Protection

Avoid.

8.2.2 Skin Protection

Need to wash skin after contact.

8.2.3 Respiratory Protection

Not applicable.

8.2.4 Prevention of Swallowing

Not applicable.

8.3 Exposure Guidelines

None Established



Section 9 Physical and Chemical Properties

Boiling Point	N/A
Vapor Pressure (mm Hg)	N/A
Vapor Density (Air=1)	N/A
Solubility in Water	N/A
Specific Gravity (H ₂ O=1)	-1.0
Melting Point	>100°C
Evaporation Rates (Butyl Acetaesd=1)	N/A
Decomposition Temperature	N/A

Section 10 Stability and Reactivity

Stability	Unstable Stable	Conditions to avoid V
Incompatibility (Materials to avoid)		N/A
Hazardous Decomposition of By-Products		N/A
Hazardous May Occur Polymerization		Conditions to avoid
Will not occur		V

Section 11 Toxicological Information

There is no data on the ecotoxicity of this product. This product should not pose an ecological risk.

Section 12 Ecological Information

There is no data on the ecotoxicity of this product. This product should not pose an ecological risk.

Section 13 Disposal Considerations

- 13.1 Product Waste Disposal Method : Dispose according to local laws, or consult applicable regulations or authorities before disposal.
- 13.2 Product Package Disposal Method : Dispose according to local laws, or consult applicable regulations or authorities before disposal.



MISUMI

MATERIALS SAFETY DATA SHEET

Section 14 Transport Information

No (Transport as ordinary consignment)
But do not fall, crash or topple the consignment

Section 15 Regulatory Information

Regulation on disposal and clening of wastes

Section 16 Other Information

The information contained in this MSDS is based on our knowledge of the product concerned at the data indicated. Users are liable for compliance with the legislation and regulation.